

Rapid Review References

1. Schultes RE. Hallucinogens of plant origin. *Science*. 1969;163(3864):245-254.
2. Schultes RE, Hofmann A, Rätsch C. Plants of the Gods: their sacred. *Healing, and Hallucinogenic Powers (Healing Arts, Rochester, VT)*. 2001.
3. Johnson M, Richards W, Griffiths R. Human hallucinogen research: guidelines for safety. *J Psychopharmacol*. 2008;22(6):603-620.
4. Guzmán G. The hallucinogenic mushrooms: diversity, traditions, use and abuse with special reference to the genus *Psilocybe*. In: *Fungi from different environments*. CRC Press; 2019:256-277.
5. Araujo AM, Carvalho F, Bastos Mde L, Guedes de Pinho P, Carvalho M. The hallucinogenic world of tryptamines: an updated review. *Arch Toxicol*. 2015;89(8):1151-1173.
6. Krippner S, Winkelman M. Maria Sabina: Wise lady of the mushrooms. *J Psychoactive Drugs*. 1983;15(3):225-228.
7. Tricco AC, Langlois EV, Straus SE, editors. *Rapid reviews to strengthen health policy and systems: a practical guide*. In. Geneva: World Health Organization. Licence: CC BY-NC-SA 3.0 IGO; 2017.
8. Castro Santos H, Gama Marques J. What is the clinical evidence on psilocybin for the treatment of psychiatric disorders? A systematic review. *Porto biomed*. 2021;6(1):e128.
9. Griffiths RR, Johnson MW, Carducci MA, et al. Psilocybin produces substantial and sustained decreases in depression and anxiety in patients with life-threatening cancer: A randomized double-blind trial. *J Psychopharmacol*. 2016;30(12):1181-1197.
10. Grob CS, Danforth AL, Chopra GS, et al. Pilot study of psilocybin treatment for anxiety in patients with advanced-stage cancer. *Arch Gen Psychiatry*. 2011;68(1):71-78.
11. Ross S, Bossis A, Guss J, et al. Rapid and sustained symptom reduction following psilocybin treatment for anxiety and depression in patients with life-threatening cancer: a randomized controlled trial. *J Psychopharmacol*. 2016;30(12):1165-1180.
12. Carhart-Harris R, Bolstridge M, Day C, et al. Psilocybin with psychological support for treatment-resistant depression: Six-month follow-up. *Psychopharmacology (Berl)*. 2018;235(2):399-408.
13. Carhart-Harris RL, Bolstridge M, Rucker J, et al. Psilocybin with psychological support for treatment-resistant depression: an open-label feasibility study. *Lancet Psychiatry*. 2016;3(7):619-627.
14. Johnson MW, Garcia-Romeu A, Cosimano MP, Griffiths RR. Pilot study of the 5-HT2AR agonist psilocybin in the treatment of tobacco addiction. *J Psychopharmacol*. 2014;28(11):983-992.
15. Johnson MW, Garcia-Romeu A, Griffiths RR. Long-term follow-up of psilocybin-facilitated smoking cessation. *The American Journal of Drug and Alcohol Abuse*. 2017;43(1):55-60.
16. Bogenschutz MP, Forcehimes AA, Pommy JA, Wilcox CE, Barbosa P, Strassman RJ. Psilocybin-assisted treatment for alcohol dependence: a proof-of-concept study. *Journal of psychopharmacology (oxford, england)*. 2015;29(3):289-299.
17. Moreno FA, Wiegand CB, Taitano E, Delgado PL. Safety, tolerability, and efficacy of psilocybin in 9 patients with obsessive-compulsive disorder. *The Journal of Clinical Psychiatry*. 2006;67(11):1735-1740.
18. Goldberg SB, Pace BT, Nicholas CR, Raison CL, Hutson PR. The experimental effects of psilocybin on symptoms of anxiety and depression: A meta-analysis. *Psychiatry Res*. 2020;284:112749.

19. Anderson BT, Danforth A, Daroff PR, et al. Psilocybin-assisted group therapy for demoralized older long-term AIDS survivor men: An open-label safety and feasibility pilot study. *EClinicalMedicine*. 2020;27:100538.
20. Davis AK, Barrett FS, May DG, et al. Effects of Psilocybin-Assisted Therapy on Major Depressive Disorder: A Randomized Clinical Trial. *JAMA Psychiatry*. 2021;78(5):481-489.
21. Carhart-Harris R, Giribaldi B, Watts R, et al. Trial of Psilocybin versus Escitalopram for Depression. *N Engl J Med*. 2021;384(15):1402-1411.
22. Schindler EAD, Sewell RA, Gottschalk CH, et al. Exploratory Controlled Study of the Migraine-Suppressing Effects of Psilocybin. *Neurother*. 2020;12:12.
23. Vehling S, Kissane DW, Lo C, et al. The association of demoralization with mental disorders and suicidal ideation in patients with cancer. *Cancer*. 2017;123(17):3394-3401.
24. Varker T, Watson L, Gibson K, Forbes D, O'Donnell ML. Efficacy of Psychoactive Drugs for the Treatment of Posttraumatic Stress Disorder: A Systematic Review of MDMA, Ketamine, LSD and Psilocybin. *J Psychoactive Drugs*. 2021;53(1):85-95.
25. Williams MT, Davis AK, Xin Y, et al. People of color in North America report improvements in racial trauma and mental health symptoms following psychedelic experiences. *Drugs: Education, Prevention and Policy*. 2021;28(3):215-226.
26. Vargas AS, Luis A, Barroso M, Gallardo E, Pereira L. Psilocybin as a New Approach to Treat Depression and Anxiety in the Context of Life-Threatening Diseases-A Systematic Review and Meta-Analysis of Clinical Trials. *Biomedicines*. 2020;8(9):05.
27. Griffiths RR, Richards WA, McCann U, Jesse R. Psilocybin can occasion mystical-type experiences having substantial and sustained personal meaning and spiritual significance. *Psychopharmacology (Berl)*. 2006;187(3):268-283; discussion 284-292.
28. Hood J, Ralph W, Ghorbani N, Watson PJ, et al. Dimensions of the mysticism scale: Confirming the three-factor structure in the United States and Iran. *J Sci Study Relig*. 2001;40(4):691-705.
29. Aday JS, Mitzkowitz CM, Bloesch EK, Davoli CC, Davis AK. Long-term effects of psychedelic drugs: A systematic review. *Neurosci Biobehav Rev*. 2020;113:179-189.
30. Erritzoe D, Roseman L, Nour MM, et al. Effects of psilocybin therapy on personality structure. *Acta Psychiatr Scand*. 2018;138(5):368-378.
31. Griffiths RR, Johnson MW, Richards WA, et al. Psilocybin-occasioned mystical-type experience in combination with meditation and other spiritual practices produces enduring positive changes in psychological functioning and in trait measures of prosocial attitudes and behaviors. *J Psychopharmacol*. 2018;32(1):49-69.
32. Madsen MK, Fisher PM, Stenbæk DS, et al. A single psilocybin dose is associated with long-term increased mindfulness, preceded by a proportional change in neocortical 5-HT2A receptor binding. *Eur Neuropsychopharmacol*. 2020;33:71-80.
33. Dahmane E, Hutson PR, Gobburu JVS. Exposure-Response Analysis to Assess the Concentration-QTc Relationship of Psilocybin/Psilocin. *Clin*. 2021;10(1):78-85.
34. Barrett FS, Carbonaro TM, Hurwitz E, Johnson MW, Griffiths RR. Double-blind comparison of the two hallucinogens psilocybin and dextromethorphan: effects on cognition. *Psychopharmacology (Berl)*. 2018;235(10):2915-2927.
35. Johnson MW, Sewell R, Griffiths RR. Psilocybin dose-dependently causes delayed, transient headaches in healthy volunteers. *Drug and Alcohol Dependence*. 2012;123(1-3):132-140.
36. Hasler F, Grimberg U, Benz MA, Huber T, Vollenweider FX. Acute psychological and physiological effects of psilocybin in healthy humans: a double-blind, placebo-controlled dose-effect study. *Psychopharmacology (Berl)*. 2004;172(2):145-156.

37. Carbonaro TM, Bradstreet MP, Barrett FS, et al. Survey study of challenging experiences after ingesting psilocybin mushrooms: Acute and enduring positive and negative consequences. *J Psychopharmacol.* 2016;30(12):1268-1278.
38. Galvao-Coelho NL, Marx W, Gonzalez M, et al. Classic serotonergic psychedelics for mood and depressive symptoms: a meta-analysis of mood disorder patients and healthy participants. *Psychopharmacology (Berl).* 2021;238(2):341-354.
39. Watts R, Day C, Krzanowski J, Nutt D, Carhart-Harris R. Patients' accounts of increased "connectedness" and "acceptance" after psilocybin for treatment-resistant depression. *Journal of Humanistic Psychology.* 2017;57(5):520-564.
40. Noorani T, Garcia-Romeu A, Swift TC, Griffiths RR, Johnson MW. Psychedelic therapy for smoking cessation: Qualitative analysis of participant accounts. *J Psychopharmacol.* 2018;32(7):756-769.
41. Studerus E, Kometer M, Hasler F, Vollenweider FX. Acute, subacute and long-term subjective effects of psilocybin in healthy humans: a pooled analysis of experimental studies. *J Psychopharmacol.* 2011;25(11):1434-1452.
42. Benjamin C. Persistent psychiatric symptoms after eating psilocybin mushrooms. *Br Med J.* 1979;1(6174):1319-1320.
43. Ken Gillman P. Triptans, serotonin agonists, and serotonin syndrome (serotonin toxicity): a review. *Headache: The Journal of Head and Face Pain.* 2010;50(2):264-272.
44. Suzuki K. [Three cases of acute serotonin syndrome due to psilocybin mushroom poisoning]. *Chudoku Kenkyu.* 2016;29(1):33-35.
45. Martinotti G, Santacroce R, Pettoruso M, et al. Hallucinogen persisting perception disorder: etiology, clinical features, and therapeutic perspectives. *Brain sciences.* 2018;8(3):47.
46. Espiard M-L, Lecardeur L, Abadie P, Halbecq I, Dollfus S. Hallucinogen persisting perception disorder after psilocybin consumption: a case study. *European psychiatry.* 2005;20(5-6):458-460.
47. Dittrich A, von Arx S, Staub S. Concerning the question of increased readiness to consume hallucinogens subsequent to experiments with hallucinogens. *Schweizerische Zeitschrift für Psychologie und ihre Anwendungen/Revue suisse de Psychologie pure et appliquée.* 1980.
48. Nichols DE. Psychedelics. *Pharmacol Rev.* 2016;68(2):264-355.
49. Studerus E, Gamma A, Kometer M, Vollenweider FX. Prediction of psilocybin response in healthy volunteers. *PLoS ONE.* 2012;7(2):e30800.
50. Leptourgos P, Fortier-Davy M, Carhart-Harris R, et al. Hallucinations Under Psychedelics and in the Schizophrenia Spectrum: An Interdisciplinary and Multiscale Comparison. *Schizophrenia Bulletin.* 2020;46(6):1396-1408.
51. Beug MW, Bigwood J. Psilocybin and psilocin levels in twenty species from seven genera of wild mushrooms in the Pacific Northwest, U.S.A. *J Ethnopharmacol.* 1982;5(3):271-285.
52. van Amsterdam J, Opperhuizen A, van den Brink W. Harm potential of magic mushroom use: a review. *Regul Toxicol Pharmacol.* 2011;59(3):423-429.
53. Fricke J, Sherwood A, Kargbo R, et al. Enzymatic Route toward 6-Methylated Baeocystin and Psilocybin. *Chembiochem.* 2019;20(22):2824-2829.
54. Sherwood AM, Halberstadt AL, Klein AK, et al. Synthesis and Biological Evaluation of Tryptamines Found in Hallucinogenic Mushrooms: Norbaeocystin, Baeocystin, Norpsilocin, and Aeruginascin. *J Nat Prod.* 2020;83(2):461-467.
55. Beck O, Helander A, Karlson-Stiber C, Stephansson N. Presence of phenylethylamine in hallucinogenic Psilocybe mushroom: possible role in adverse reactions. *J Anal Toxicol.* 1998;22(1):45-49.

56. Skryabin VY, Vinnikova M, Nenastieva A, Alekseyuk V. Hallucinogen persisting perception disorder: A literature review and three case reports. *J Addict Dis.* 2018;37(3-4):268-278.
57. Leonard JB, Anderson B, Klein-Schwartz W. Does getting high hurt? Characterization of cases of LSD and psilocybin-containing mushroom exposures to national poison centers between 2000 and 2016. *J Psychopharmacol.* 2018;32(12):1286-1294.
58. Muller K, Puschel K, Iwersen-Bergmann S. [Suicide under the influence of "magic mushrooms"]. *Arch Kriminol.* 2013;231(5-6):193-198.
59. Lim TH, Wasylwich CA, Ruygrok PN. A fatal case of 'magic mushroom' ingestion in a heart transplant recipient. *Intern Med J.* 2012;42(11):1268-1269.
60. Johansen P-O, Krebs TS. Psychedelics not linked to mental health problems or suicidal behavior: A population study. *J Psychopharmacol.* 2015;29(3):270-279.
61. Hendricks PS, Thorne CB, Clark CB, Coombs DW, Johnson MW. Classic psychedelic use is associated with reduced psychological distress and suicidality in the United States adult population. *J Psychopharmacol.* 2015;29(3):280-288.
62. Hendricks PS, Crawford MS, Cropsey KL, et al. The relationships of classic psychedelic use with criminal behavior in the United States adult population. *J Psychopharmacol.* 2018;32(1):37-48.
63. Bienemann B, Ruschel NS, Campos ML, Negreiros MA, Mograbi DC. Self-reported negative outcomes of psilocybin users: A quantitative textual analysis. *PLoS ONE.* 2020;15(2):e0229067.
64. Barrett FS, Johnson MW, Griffiths RR. Neuroticism is associated with challenging experiences with psilocybin mushrooms. *Pers Individ Dif.* 2017;117:155-160.
65. Carrillo F, Sigman M, Fernandez Slezak D, et al. Natural speech algorithm applied to baseline interview data can predict which patients will respond to psilocybin for treatment-resistant depression. *J Affect Disord.* 2018;230:84-86.
66. Reynolds HT, Vijayakumar V, Gluck-Thaler E, Korotkin HB, Matheny PB, Slot JC. Horizontal gene cluster transfer increased hallucinogenic mushroom diversity. *Evol.* 2018;2(2):88-101.
67. Blei F, Baldeweg F, Fricke J, Hoffmeister D. Biocatalytic Production of Psilocybin and Derivatives in Tryptophan Synthase-Enhanced Reactions. *Chemistry.* 2018;11:11.
68. Blei F, Fricke J, Wick J, Slot JC, Hoffmeister D. Iterative L-Tryptophan Methylation in Psilocybe Evolved by Subdomain Duplication. *Chembiochem.* 2018;19(20):2160-2166.
69. Fricke J, Blei F, Hoffmeister D. Enzymatic Synthesis of Psilocybin. *Angew Chem Int Ed Engl.* 2017;56(40):12352-12355.
70. Fricke J, Kargbo R, Regestein L, et al. Scalable Hybrid Synthetic/Biocatalytic Route to Psilocybin. *Chemistry.* 2020;26(37):8281-8285.
71. Torrens-Spence MP, Liu CT, Pluskal T, Chung YK, Weng JK. Monoamine Biosynthesis via a Noncanonical Calcium-Activatable Aromatic Amino Acid Decarboxylase in Psilocybin Mushroom. *ACS Chem Biol.* 2018;13(12):3343-3353.
72. Demmler R, Fricke J, Dorner S, Gressler M, Hoffmeister D. S-Adenosyl-L-Methionine Salvage Impacts Psilocybin Formation in "Magic" Mushrooms. *Chembiochem.* 2020;21(9):1364-1371.
73. Lenz C, Sherwood A, Kargbo R, Hoffmeister D. Taking Different Roads: L-Tryptophan as the Origin of Psilocybe Natural Products. *ChemPlusChem.* 2021;86(1):28-35.
74. Reingardiene D, Vilcinskaite J, Lazauskas R. [Hallucinogenic mushrooms]. *Medicina (Kaunas).* 2005;41(12):1067-1070.
75. Lincoff G, Mitchel DH. *Toxic and hallucinogenic mushroom poisoning. A handbook for physicians and mushroom hunters.* Van Nostrand Reinhold Company.; 1977.
76. Stamets P. *Psilocybin mushrooms of the world.* Ten Speed Press; 1996.

77. Schafer AT. [Microscopic study of powders of hallucinogenic mushrooms--*Psilocybe* sp]. *Arch Kriminol.* 2000;205(1-2):30-36.
78. Uehling JK, Henkel TW, Aime MC, Vilgalys R, Smith ME. New species and distribution records for *Clavulina* (Cantharellales, Basidiomycota) from the Guiana Shield, with a key to the lowland neotropical taxa. *Fungal biology.* 2012;116(12):1263-1274.
79. Lenz C, Wick J, Braga D, et al. Injury-Triggered Blueing Reactions of *Psilocybe* "Magic" Mushrooms. *Angew Chem Int Ed Engl.* 2020;59(4):1450-1454.
80. Franz M, Regele H, Kirchmair M, et al. Magic mushrooms: hope for a 'cheap high' resulting in end-stage renal failure. *Nephrol Dial Transplant.* 1996;11(11):2324-2327.
81. Adams AM, Kaplan NA, Wei Z, et al. In vivo production of psilocybin in *E. coli*. *Metab Eng.* 2019;56:111-119.
82. Milne N, Thomsen P, Molgaard Knudsen N, Rubaszka P, Kristensen M, Borodina I. Metabolic engineering of *Saccharomyces cerevisiae* for the de novo production of psilocybin and related tryptamine derivatives. *Metab Eng.* 2020;60:25-36.
83. Fricke J, Lenz C, Wick J, Blei F, Hoffmeister D. Production Options for Psilocybin: Making of the Magic. *Chemistry.* 2019;25(4):897-903.
84. Guzmán G. Hallucinogenic mushrooms in Mexico: An overview. *Economic Botany.* 2008;62(3):404-412.
85. Guzmán G. New taxonomical and ethnomycological observations on *psilocybe* ss (fungi, basidiomycota, agaricomycetidae, agaricales, strophariaceae) from Mexico, Africa and Spain. *Acta botánica mexicana.* 2012(100):79-106.
86. Kamata T, Nishikawa M, Kataqi M, Tsuchihashi H. Liquid chromatography-mass spectrometric and liquid chromatography-tandem mass spectrometric determination of hallucinogenic indoles psilocin and psilocybin in "magic mushroom" samples. *J Forensic Sci.* 2005;50(2):336-340.
87. Stribrny J, Borovicka J, Sokol M. [Levels of psilocybin and psilocin in various types of mushrooms]. *Soud Lek.* 2003;48(3):45-49.
88. Saito K, Toyo'oka T, Kato M, Fukushima T, Shirota O, Goda Y. Determination of psilocybin in hallucinogenic mushrooms by reversed-phase liquid chromatography with fluorescence detection. *Talanta.* 2005;66(3):562-568.
89. Sottolano SM, Lurie IS. The quantitation of psilocybin in hallucinogenic mushrooms using high performance liquid chromatography. *J Forensic Sci.* 1983;28(4):929-935.
90. Christiansen AL, Rasmussen KE. Screening of hallucinogenic mushrooms with high-performance liquid chromatography and multiple detection. *J Chromatogr.* 1983;270:293-299.
91. Beug MW, Bigwood J. Quantitative analysis of psilocybin and psilocin in *psilocybe baeocystis* (Singer and Smith) by high-performance liquid chromatography and by thin-layer chromatography. *J Chromatogr.* 1981;207(3):379-385.
92. Stahl E, Brombeer J, Eskes D. [Narcotic mushrooms with LSD?]. *Arch Kriminol.* 1978;162(1-2):23-33.
93. Hofmann A, et al. Psilocybin und Psilocin, zwei psychotrope Wirkstoffe aus mexikanischen Rauschpilzen. *Helvetica Chimica Acta* 1959;42:1557-1572
94. Van Orden RC. Determination of psilocybin and psilocin in hallucinogenic mushrooms by HPLC with diode array and MS detection. State University of New York College of Environmental Science and Forestry; 2008.
95. Stebelska K. Assays for Detection of Fungal Hallucinogens Such as Psilocybin and Psilocin. In: *Neuropathology of Drug Addictions and Substance Misuse*. Elsevier; 2016:909-926.
96. Nagy J, Veress T. HPLC analysis of hallucinogenic mushroom alkaloids (psilocin and psilocybin) applying hydrophilic interaction chromatography (HILIC). *Journal of Forensic Research.* 2016;7(6):10.4172.

97. Rácz N, Nagy J, Jiang W, Veress T. Modeling retention behavior on analysis of hallucinogenic mushrooms using hydrophilic interaction liquid chromatography. *J Chromatogr Sci.* 2019;57(3):230-237.
98. Veress T, Rácz N, Nagy J, Jiang W. Determination of Psilocin and Psilocybin in Magic Mushrooms Using iHILIC®-Fusion and MS. In: ADVANSTAR COMMUNICATIONS INC 131 W 1ST STREET, DULUTH, MN 55802 USA; 2020.
99. Zhou L, Xiang P, Wen D, et al. Sensitive quantitative analysis of psilocin and psilocybin in hair samples from suspected users and their distribution in seized hallucinogenic mushrooms. *Forensic Toxicology.* 2021;1-10.
100. Anastos N, Lewis SW, Barnett NW, Sims DN. The determination of psilocin and psilocybin in hallucinogenic mushrooms by HPLC utilizing a dual reagent acidic potassium permanganate and tris(2,2'-bipyridyl)ruthenium(II) chemiluminescence detection system. *J Forensic Sci.* 2006;51(1):45-51.
101. Gambaro V, Roda G, Visconti GL, et al. Taxonomic Identification of Hallucinogenic Mushrooms Seized on the Illegal Market Using a DNA-Based Approach and LC/MS-MS Determination of Psilocybin and Psilocin. 2015.
102. Stamets P, Chilton J. The mushroom cultivator. First Washington. 1983.
103. Lambert EB. Principles and problems of mushroom culture. *The Botanical Review.* 1938;4(7):397.
104. Evans HJ, Hughes DT, Thomas PT. Chemically induced neoplasms in fungi. *Nature.* 1956;178(4540):949-951.
105. Moore D. Principles of mushroom developmental biology. *International Journal of Medicinal Mushrooms.* 2005;7(1&2).
106. Bressa G, Cima L, Costa P. Bioaccumulation of Hg in the mushroom Pleurotus ostreatus. *Ecotoxicology and environmental safety.* 1988;16(2):85-89.
107. Gabriel J, Vosahlo J, Baldrian P. Biosorption of cadmium to mycelial pellets of wood-rotting fungi. *Biotechnology Techniques.* 1996;10(5):345-348.
108. Tüzen M, Özdemir M, Demirbaş A. Heavy metal bioaccumulation by cultivated Agaricus bisporus from artificially enriched substrates. *Zeitschrift für Lebensmitteluntersuchung und-Forschung A.* 1998;206(6):417-419.
109. Michelot D, Siobud E, Doré J-C, Viel C, Poirier F. Update on metal content profiles in mushrooms—toxicological implications and tentative approach to the mechanisms of bioaccumulation. *Toxicon.* 1998;36(12):1997-2012.
110. Falandyz J, Szymczyk K, Ichihashi H, et al. ICP/MS and ICP/AES elemental analysis (38 elements) of edible wild mushrooms growing in Poland. *Food Additives & Contaminants.* 2001;18(6):503-513.
111. Demirbaş A. Concentrations of 21 metals in 18 species of mushrooms growing in the East Black Sea region. *Food Chemistry.* 2001;75(4):453-457.
112. Demirbaş A. Heavy metal bioaccumulation by mushrooms from artificially fortified soils. *Food chemistry.* 2001;74(3):293-301.
113. Demirbaş A. Metal ion uptake by mushrooms from natural and artificially enriched soils. *Food Chemistry.* 2002;78(1):89-93.
114. García MÁ, Alonso J, Melgar MJ. Lead in edible mushrooms: levels and bioaccumulation factors. *Journal of Hazardous Materials.* 2009;167(1-3):777-783.
115. Gabriel J, Švec K, Kolíhová D, Tlustoš P, Száková J. Translocation of mercury from substrate to fruit bodies of *Panellus stipticus*, *Psilocybe cubensis*, *Schizophyllum commune* and *Stropharia rugosoannulata* on oat flakes. *Ecotoxicology and environmental safety.* 2016;125:184-189.
116. Širić I, Humar M, Kasap A, Kos I, Mioč B, Pohleven F. Heavy metal bioaccumulation by wild edible saprophytic and ectomycorrhizal mushrooms. *Environmental science and pollution research.* 2016;23(18):18239-18252.

117. Tel-Cayan G, Ullah Z, Ozturk M, Yabanli M, Aydin F, Duru ME. Heavy metals, trace and major elements in 16 wild mushroom species determined by ICP-MS. 2018.
118. Sener S. Effect of Seagrass Mixed With Casing Soil for the Cultivation of Mushrooms and Study of Bioaccumulation of Heavy Metals. *Atomic Spectroscopy*. 2019;40:188.
119. Chang Q, Fan C, Chen H, Kang J, Wang M, Pang G. Determination of 187 pesticide residues in edible fungi by liquid chromatography-tandem mass spectrometry. *Analytical Methods*. 2014;6(12):4288-4304.
120. Gałgowska M, Pietrzak-Fiećko R. Pesticide contaminants in selected species of edible wild mushrooms from the north-eastern part of Poland Part B Pesticides, food contaminants, and agricultural wastes. 2017.
121. Du P, Wu X, Xu J, et al. Different residue behaviors of four pesticides in mushroom using two different application methods. *Environmental Science and Pollution Research*. 2018;25(9):8377-8387.
122. Tian F, Qiao C, Luo J, et al. Method development and validation of ten pyrethroid insecticides in edible mushrooms by Modified QuEChERS and gas chromatography-tandem mass spectrometry. *Sci.* 2020;10(1):1-10.
123. Roseman L, Demetriou L, Wall MB, Nutt DJ, Carhart-Harris RL. Increased amygdala responses to emotional faces after psilocybin for treatment-resistant depression. *Neuropharmacology*. 2018;142:263-269.
124. Stauffer CS, Anderson BT, Ortigo KM, Woolley J. Psilocybin-Assisted Group Therapy and Attachment: Observed Reduction in Attachment Anxiety and Influences of Attachment Insecurity on the Psilocybin Experience. *ACS pharmacol.* 2021;4(2):526-532.
125. Dos Santos RG, Bouso JC, Alcazar-Corcoles MA, Hallak JEC. Efficacy, tolerability, and safety of serotonergic psychedelics for the management of mood, anxiety, and substance-use disorders: a systematic review of systematic reviews. *Expert Rev Clin Pharmacol.* 2018;11(9):889-902.
126. Agin-Liebes GI, Malone T, Yalch MM, et al. Long-term follow-up of psilocybin-assisted psychotherapy for psychiatric and existential distress in patients with life-threatening cancer. *J Psychopharmacol.* 2020;34(2):155-166.
127. Ross S, Agin-Liebes G, Lo S, et al. Acute and Sustained Reductions in Loss of Meaning and Suicidal Ideation Following Psilocybin-Assisted Psychotherapy for Psychiatric and Existential Distress in Life-Threatening Cancer. *ACS pharmacol.* 2021;4(2):553-562.
128. Swift TC, Belser AB, Agin-Liebes G, et al. Cancer at the dinner table: Experiences of psilocybin-assisted psychotherapy for the treatment of cancer-related distress. *Journal of Humanistic Psychology*. 2017;57(5):488-519.
129. Malone TC, Mennenga SE, Guss J, et al. Individual Experiences in Four Cancer Patients Following Psilocybin-Assisted Psychotherapy. *Front Pharmacol.* 2018;9:256.
130. Strickland JC, Garcia-Romeu A, Johnson MW. Set and Setting: A Randomized Study of Different Musical Genres in Supporting Psychedelic Therapy. *ACS pharmacol.* 2021;4(2):472-478.
131. Nielson EM, May DG, Forcehimes AA, Bogenschutz MP. The Psychedelic Debriefing in Alcohol Dependence Treatment: Illustrating Key Change Phenomena through Qualitative Content Analysis of Clinical Sessions. *Front Pharmacol.* 2018;9(132).
132. Bogenschutz MP, Podrebarac SK, Duane JH, et al. Clinical Interpretations of Patient Experience in a Trial of Psilocybin-Assisted Psychotherapy for Alcohol Use Disorder. *Front Pharmacol.* 2018;9:100.
133. Borowiak KS, Ciechanowski K, Waloszczyk P. Psilocybin mushroom (*Psilocybe semilanceata*) intoxication with myocardial infarction. *J Toxicol Clin Toxicol.* 1998;36(1-2):47-49.

134. Steiner J, Sulman F. Simultaneous studies of blood sugar, behavioural changes and EEG on the wake rabbit after administration of psilocybin. *Archives internationales de pharmacodynamie et de therapie*. 1963;145:301-308.
135. Tyls F, Palenicek T, Horacek J. Psilocybin--summary of knowledge and new perspectives. *Eur Neuropsychopharmacol*. 2014;24(3):342-356.
136. Koivikko A, Savolainen J. Mushroom allergy. *Allergy*. 1988;43(1):1-10.
137. Raff E, Halloran PF, Kjellstrand CM. Renal failure after eating "magic" mushrooms. *Cmaj*. 1992;147(9):1339-1341.
138. Austin E, Myron HS, Summerbell RK, Mackenzie C. Acute renal injury cause by confirmed *Psilocybe cubensis* mushroom ingestion. *Med Mycol Case Rep*. 2019;23:55-57.
139. Gard DE, Pleet MM, Bradley ER, et al. Evaluating the Risk of Psilocybin for the Treatment of Bipolar Depression: A Review of the Research Literature and Published Case Studies. *medRxiv*. 2021:2021.2004.21254838.
140. Zeifman RJ, Singhal N, Breslow L, Weissman CR. On the Relationship between Classic Psychedelics and Suicidality: A Systematic Review. *ACS pharmacol*. 2021;4(2):436-451.
141. Seiler N, Nguyen T, Yung A, O'Donoghue B. Terminology and assessment tools of psychosis: A systematic narrative review. *Psychiatry and clinical neurosciences*. 2020;74(4):226-246.
142. Lovibond PF, Lovibond SH. The structure of negative emotional states: Comparison of the Depression Anxiety Stress Scales (DASS) with the Beck Depression and Anxiety Inventories. *Behaviour research and therapy*. 1995;33(3):335-343.
143. Davis AK, Barrett FS, So S, Gukasyan N, Swift TC, Griffiths RR. Development of the Psychological Insight Questionnaire among a sample of people who have consumed psilocybin or LSD. *J Psychopharmacol*. 2021;35(4):437-446.
144. Kamata T, Nishikawa M, Kataqi M, Tsuchihashi H. Optimized glucuronide hydrolysis for the detection of psilocin in human urine samples. *J Chromatogr B Analyt Technol Biomed Life Sci*. 2003;796(2):421-427.
145. Shoda T, Fukuhara K, Goda Y, Okuda H. Enzyme-assisted synthesis of the glucuronide conjugate of psilocin, an hallucinogenic component of magic mushrooms. *Drug Test Anal*. 2011;3(9):594-596.
146. Poliwoda A, Zielinska K, Wieczorek PP. Direct Analysis of Psilocin and Muscimol in Urine Samples Using Single Drop Microextraction Technique In-Line with Capillary Electrophoresis. *Molecules (Basel)*. 2020;25(7):29.
147. Pichini S, Marchei E, Garcia-Algar O, Gomez A, Di Giovannandrea R, Pacifici R. Ultra-high-pressure liquid chromatography tandem mass spectrometry determination of hallucinogenic drugs in hair of psychedelic plants and mushrooms consumers. *J Pharm Biomed Anal*. 2014;100:284-289.
148. Sticht G, Kaferstein H. Detection of psilocin in body fluids. *Forensic Sci Int*. 2000;113(1-3):403-407.
149. Morita I, Oyama H, Kiguchi Y, et al. Immunochemical monitoring of psilocybin and psilocin to identify hallucinogenic mushrooms. *J Pharm Biomed Anal*. 2020;190:113485.
150. Racz N, Nagy J, Jiang W, Veress T. Modeling Retention Behavior on Analysis of Hallucinogenic Mushrooms Using Hydrophilic Interaction Liquid Chromatography. *J Chromatogr Sci*. 2019;57(3):230-237.
151. Gotvaldova K, Hajkova K, Borovicka J, Jurok R, Cihlarova P, Kuchar M. Stability of psilocybin and its four analogs in the biomass of the psychotropic mushroom *Psilocybe cubensis*. *Drug Test Anal*. 2021;13(2):439-446.
152. Musha M, Ishii A, Tanaka F, Kusano G. Poisoning by hallucinogenic mushroom *hikageshibiretake* (*Psilocybe argentipes* K. Yokoyama) indigenous to Japan. *Tohoku J Exp Med*. 1986;148(1):73-78.

153. Riley SC, Blackman G. Between prohibitions: patterns and meanings of magic mushroom use in the UK. *Subst Use Misuse*. 2008;43(1):55-71.
154. Peden NR, Pringle SD, Crooks J. The problem of psilocybin mushroom abuse. *Hum Toxicol*. 1982;1(4):417-424.
155. Forrester MB. Hallucinogenic mushroom misuse reported to Texas poison centers. *J Addict Dis*. 2020;38(4):482-488.
156. Satora L, Goszcz H, Ciszowski K. Poisonings resulting from the ingestion of magic mushrooms in Krakow. *Przegl Lek*. 2005;62(6):394-396.
157. Manevski N, Kurkela M, Hoglund C, et al. Glucuronidation of psilocin and 4-hydroxyindole by the human UDP-glucuronosyltransferases. *Drug Metab Dispos*. 2010;38(3):386-395.
158. Naz F, Jyoti S, Rahul, Akhtar N, Siddique YH. Effect of Oral Contraceptive Pills on the Blood Serum Enzymes and DNA Damage in Lymphocytes Among Users. *Indian J Clin Biochem*. 2016;31(3):294-301.
159. Miners et al., 2017 – Citation pending
160. Belozeroff V, Goodman WG, Ren L, Kalantar-Zadeh K. Cinacalcet lowers serum alkaline phosphatase in maintenance hemodialysis patients. *Clin J Am Soc Nephrol*. 2009;4(3):673-679.
161. Veerka KA, Johnson KL, Mays DC, Lipsky JJ, Naylor S. Inhibition of aldehyde dehydrogenase by disulfiram and its metabolite methyl diethylthiocarbamoyl-sulfoxide. *Biochem Pharmacol*. 1997;53(4):511-518.
162. Honda M, Nishida T, Ono H. Tricyclic analogs cyclobenzaprine, amitriptyline and cyproheptadine inhibit the spinal reflex transmission through 5-HT(2) receptors. *Eur J Pharmacol*. 2003;458(1-2):91-99.